

SPECIALIST LAMPFITTING SUPPLIES

17, Acton Avenue, Appleton, Warrington, Cheshire, WA4 5PS. Tel. or Fax: 01925 604314

WWW.SPECIALISTLAMPFITTINGSUPPLIES.CO.UK

- **June 2008** -

MAIL ORDER TRADE PRICE

DISCOUNTS & CARRIAGE CHARGES (Cheques Only, Credit & Debit Cards Are Not Accepted)

On orders under £50 Exc. Vat – Add £4.95 (handling charge)
On Orders Over £90 Exc. Vat – Deduct 5% From Our Prices
On Orders Over £180 Exc. Vat – Deduct 10% From Our Prices
On Orders Over £300 Exc. Vat – Deduct 15% From Our Prices

Please Allow 5 Working Days From Our Receipt Of Your Payment For The Goods To Be Delivered (UK. Mainland Only, Excluding Northern Scotland)

HOW TO ORDER....

By Post – Indicate the quantity required and the product ‘Order Ref.’ (**taken from the price list**), calculate the order value according to the current price list, deduct any quantity discounts, add handling charge (orders under £50 excluding Vat) and finally add Vat to the total (including the handling charge if applicable) at the current rate.

Remember to enclose your cheque made payable to SPECIALIST LAMPFITTING SUPPLIES. *Thank You*

BY PHONE – (9am – 5pm Mon-Fri Only) Supply the quantity and product ‘Order Ref.’ (**taken from the price list, not the colour sheet**) and we’ll calculate the payment due. Then simply send a cheque made payable to SPECIALIST LAMPFITTING SUPPLIES with your address or Business name on reverse, your goods will be dispatched on receipt.

BY FAX - Your order is prepared pending arrival of cheque. **If you need a price check please make this clear.**
(This service is available during normal business hours – 9am until 5pm Monday to Friday excluding holidays.)

Rep. Of Ireland – Payment (**Minimum £125**) by STERLING BANKERS DRAFT, Eurocheques are not accepted.
U.K. VAT payable on orders despatched to Irish Republic unless you’re Vat registered and give your Vat number.

CHANNEL ISLANDS (Min £100) Zero Rated for VAT. **BFPO NUMBERS** must pay VAT at 17.5% of order

By Email / enquiries@specialistlampfittingsupplies.co.uk

WIRED LAMP HOLDERS

Lamp holders & Flex Comply With Safety Regulations and have B.S. Approval

Fastener Threads Must Not Intrude More Than 5mm Into Lampholder To Avoid Damage To the Flex! We strongly recommend testing lampbases after assembly.

'CE' Labelling is compulsory. If you are selling a finished lampbase a 'CE' label must be affixed to confirm compliance with the current safety regulations.

'CE' Labels (strip of five) **Order ref. CEW - 11p**

- (1) **SWITCHED BRASS LAMPFITTING KIT**, featuring our best brass pushbar lampholder threaded 1/2" or 10mm, ready-wired with 1.8 metres of white 3 core flex. A flex restrainer (required by law) completes this popular kit.

1/2" **Order Ref. 56 - £2.96**
10mm **Order Ref. 56/10 - £2.96p**

Also Available in Gunmetal / Old Copper
For Gold or Extra Flex See 'Miscellaneous'

- (2) **UNSWITCHED BRASS LAMPFITTING KIT**, offers a top class brass lampholder threaded 1/2" or 10mm and ready-wired with 1.8 metres of white 3 core flex. This lampfitting kit is ideal for use with our Flex Switch item [27]. A flex restrainer (legally required) completes this quality kit.

1/2" **Order Ref. 58 - £2.37p**
10mm **Order Ref. 58/10 - £2.37p**

For Gold or Extra Flex See 'Miscellaneous'

- (3) **BRASS SBC LAMPFITTING KIT** incorporating the ideal lampholder for internal use. Threaded 10mm and supplied ready-wired with 1.8 metres of white 3 core flex. Our On/Off Switch item [27] is highly recommended!

Available with shade ring if required (the shade ring can often be used to fasten the lampholder in position – if being fixed this way it must be used with our item [37] for safety!).

This kit should be used with item numbers [21], [22] or [23] since they include a cordgrip. If you choose a different fastener please ensure that a suitable cordgrip is also used.

Order Ref. 58SBC - £2.37p
With Shade Ring **Ref. 58SBC/SR - £2.59p**

For Gold or Extra Flex See 'Miscellaneous'

- (4) **SBC PLASTIC LAMPFITTING KIT**, this small black plastic lampholder is threaded 10mm and supplied ready – wired with 1.8 metres of white 2 core flex. Try our On/Off Flex Switch item [27] with this kit.

This kit should be used with item numbers [21], [22] or [23] since they include a cordgrip. If you choose a different fastener please ensure that a suitable cordgrip is also used.

Order Ref. 38SBC - £1.49p

For Extra Flex See 'Miscellaneous/s'

- (5) **SWITCHED PLASTIC LAMPFITTING KIT**, comprising a white 1/2" threaded pushbar lampholder ready wired with 1.8 metres of white 2 core flex restrained internally.

Order Ref. 36 - £1.31p

For Extra Flex See 'Miscellaneous'

- (6) **UNSWITCHED PLASTIC LAMPFITTING KIT**, this 1/2" threaded lampholder is ready wired with 1.8 metres of white 2 core flex restrained internally. This kit is perfect for use with our Flex Switch item [27].

Order Ref. 38 - £1.27p

For Extra Flex See 'Miscellaneous'

- (7) **BRASS DOUBLE LAMPFITTING KIT**, offering a professional method of lighting up the inside of a lampbase as well as the top. This high quality lampfitting kit features SBC internal and BC switched external lampholders, together with 1.8 metres of white core flex and all other components required, except the fastener for attachment to your base. **(Don't Forget To Purchase A Fastener From Our 1/2" Bolt On Range)**. A flex restrainer is included as required under the current safety regulations.

Order Ref. 55 - £4.61p
Specify Which 1/2" Fastener To Be Used With!
For Gold or Extra Flex See 'Miscellaneous'

- (8) **SBC BATTEN KIT** - No Longer Available

- (9) **PLASTIC BATTEN KIT** – No Longer Available

- (10) **'PUSH IN' FASTENER KIT**, ideal for bases where it's impossible to fix the 'bolt on' type of fastener. 1.8 metres of white flex are ready – wired to a plastic or brass lampholder as detailed below. Flex restraint is internal or is provided with the kit. (The Push In fastener requires a hole approximately 3/4" diameter). **KIT 372P** (number 10 on photograph) with side entry flex is no longer available, however base entry is better for most applications.

(Plastic with flex through base) **Order Ref. 362 – N/A**

(Brass with flex through base) **Order Ref. 562 – N/A**

PLEASE NOTE!

Order Ref 362 uses items 5 & 16 and allows the flex to run through the base (unlike item 10). It is ideal where price is a major consideration, whilst Order Ref 562 uses items 1 & 16 and is essential when quality is of primary importance. N/A

FASTENERS

(Protective Tube Grommets For Use With Our Fasteners Are Detailed Overleaf)

- (11) **'DOGLEG' POLISHED BRASS PILLAR**, ideal for placing a light above a figurine etc. These brass 10mm diameter polished and lacquered tubes are of the highest quality and come complete with brass nuts, brass washers (21mm o/d) and fibre backing washers. Purchase reducer, item [33], when using with 1/2" lampholders.

Easy to thread with a Tube Grommet, highly recommended
10mm x 13" Order Ref. **9/325DL - 5.49p**
10mm x 16" Order Ref. **9/400DL - £6.04p**

- (12) **10mm POLISHED BRASS PILLAR**, enables you to attach our lampholders above your base with great style. Lacquered to protect the beautiful finish they are supplied complete with brass nuts, brass polished washers (21mm o/d) and fibre backing washers. Purchase reducer, item [33], when using with 1/2" lampholders.

10mm x 15" Order Ref. **9/375 - £5.27p**

- (13) **1/2" POLISHED BRASS PILLAR**, providing the ideal method of raising our lampholders above your base. Polished and lacquered these superb quality 1/2" diameter brass tubes are supplied complete with brass nuts, brass polished washers (1" o/d) and plastic backing washers.

1/2" x 2.5" Order Ref. **9/2.5 - £2.19p**
1/2" x 3.5" Order Ref. **9/3.5 - £2.63p**

- (14) **10mm BOLT ON**, a 10mm diameter threaded tube supplied complete with two polished brass washers (21mm o/d), brass nuts and fibre backing washers. Also purchase reducer, item [33], when using with 1/2" threaded lampholders.

10mm x 1" Order Ref. **1/25 - 44p**
10mm x 2" Order Ref. **1/50 - 50p**
10mm x 3" Order Ref. **1/75 - 55p**

- (15) **1/2" BOLT ON**, a top quality brass threaded tube 1/2" diameter, supplied complete with polished brass washers (91 o/d), brass nuts and plastic backing washers make these our top of the range fasteners.

1/2" x 1" Order Ref. **1/1 - 57p**
1/2" x 1.5 Order Ref. **1/1.5 - 73p**
1/2" x 2" Order Ref. **1/2 - 81p**

- (16) **PUSH IN FASTENER**, as supplied with bottle lamp adaptor kits (item 10) Requiring a hole approx. 3/4" dia. It's ideal when access to inside of the lampbase is limited. (Due to size variations this fastener must be ordered with our lampfittings so that we can glue prior to dispatch!) **THIS ITEM IS NOT SOLD WITHOUT A LAMPFITTING DUE TO DIFFICULTY OBTAINING FURTHER STOCKS OF THE FASTENER.**

Order Ref. **2 - N/A**

- (17) **1/2" NYLON NIPPLE**, a 3/4" long and 10mm diameter nylon bolt supplied with two 1" o/d plastic washers.

1/2" x 3/4" Order Ref. **4 - 24p**

- (18) **10mm NYLON NIPPLE**, a 3/4" long and 10mm diameter nylon bolt supplied with two 21mm o/d fibre washers. When used with SBC lampholders a cordgrip must also be fitted!

10mm x 3/4" Order Ref. **4/10 - 19p**

- (19) **BRASS WOOD NIPPLE** a 3/4" long brass tube with a lampholder thread at one end, and a coarse thread at the other for insertion into wood.

1/2" Order Ref. **WN.5 - 22p**
10mm Order Ref. **WN10 - 20p**

- (20) **BRASS BACKPLATE**, this 1" diameter plate has 3 fixing holes, or can be stuck to flat surfaces using adhesive.

1/2" Order Ref. **BP.5 - 26p**
10mm Order Ref. **BP10 - 26p**

- (21) **INTERNAL BOLT FASTENER**, a 1" x 10mm threaded tube supplied complete with two nuts, brass washers and protective washers, and a female threaded flex restrainer (legal requirement) which attaches to the tube.

Order Ref. **25 - 57p**
(Without Brass Washers) Order Ref. **25F - 48p**

- (22) **BOLT ON INTERNAL FASTENER**, ideal for turning the lampfitting through 90 degrees. Needs a 10mm side hole and is supplied complete with a female threaded flex restrainer (compulsory) which attaches to the fastener.

Order Ref. **BO - 98p**

- (23) **STICK ON INTERNAL FASTENER**, 10mm thread with 1" diameter base (adhesive not included) which allows the flex to be routed via side or bottom of your lampbase, supplied complete with a flex restrainer (required by law).

Also available in Brass

Order Ref. **SO - 76p**
Order Ref. **SO/BR - 1.09p**

OTHER PRODUCTS

(24) **SBC PYGMY LAMP**, perfect for use with our SBC lampfittings where a low wattage (15W) light is required.

Clear SBC **Order Ref. PB15SBC – 72p**
Amber SBC **Order Ref. PB15SBC/A – 87**
Pink SBC **Order Ref. PB15SBC/P – 87**
Red SBC **Order Ref. PB15SBC/R – 87p**

(25) **SBC APPLIANCE LAMP**, similar to the SBC pygmy but with a similar glass dome for when space is limited!

Clear 15W SBC **Order Ref. AB15SBC - £1.27p**

[not pictured] **SBC PILOT LAMP**, even smaller than the appliance bulb and being 10 watt it creates less heat!

Clear 10W SBC **Order Ref. PB10SBC - £1.85p**

(26) **BC PYGMY LAMP**, ideal for use with our normal BC lampfittings when a low wattage (15W) bulb is necessary.

Clear 15W BC **Order Ref. PB15 – 72p**

(27) **FLEX SWITCH**, ideal for use with our unswitched lampfittings, simply attach to flex in your preferred position. Available in white or Gold for use with round or oval flex.

Order Ref. 8 – 1.09p
2 core ready wired FA2 -£1.35p

(28) **3 AMP FUSED QUICK-FIT PLUG** with Automatic Cordgrip for faster fitting. Supplied with free 'Plug Cover' to prevent damage to your lampbase (normally 6p each). Please note that 3 amp fusing is essential for lighting use!

Order Ref. P3A – 59p
Ready wired plug and switch 2 core only LhfA £2.59

(29) **GREEN FABRIC DISCS** – No longer available

(30) **1 METRE ALLTHREAD – (hollow threaded steel tube) available in metre lengths (IF BUYING LESS THAN FIVE TUBES WE MUST CUT INTO TWO OR THREE PIECES FOR SAFER TRANSIT, PLEASE INDICATE WHICH !) .**

Order Ref. AT1000 – £2.41p

(31) **SPRING CLIP**, 4" long with a 10mm centre hole this clip is often used with our male cordgrip and an SBC lampfitting to create an easily fitted kit which can be quickly removed for bulb replacement in areas of limited space.

Order Ref. SC10 – 22p

PRIVACY POLICY

Specialist Lampfitting Supplies operates a Privacy Policy and does not sell or give out any information regarding our customers to anyone.

(32) **BRASS BARREL COUPLER**, a tube threaded on the inside to allow you to connect two threaded tubes together. Can also be used to raise your lampholder ¾" above your base when used with a suitable fastener.

1/2" **Order Ref. BC.5 – 29p**
10mm **Order Ref. BC10 – 26p**

(33) **BRASS REDUCER** permits the connection of 10mm fasteners to 1/2" threaded lampholders.

Order Ref. R – 13p

(34) **BRASS FINAL** – No longer available

CORDGRIPS are legal requirement on all lamps. Many of our kits are supplied with a cordgrip but when using SBC kits you should purchase an appropriate cordgrip unless using our 'Internal Fasteners'. (The male cordgrip can also be used as a fastener/cordgrip with our SBC lampfittings)

(35) Quick Fit Cordgrip **Order Ref. QCG – 10p**
(36) Ring Cordgrip **Order Ref. CG – 13p**
(37) 10mm Male cordgrip **Order Ref. MCG10 – 24p**
(on 21) 10mm Female C/g **Order Ref. FCG10 – 22p**

MISCELLANEOUS

EXTRA FLEX can be fitted in metre multiples (2 core for plastic lampholders & 3 core for brass). Customers using our brass lampfittings can also choose to have Gold Flex fitted on payment of a small surcharge.

2 Core White (per metre) **Order Ref. 052W – 26p**
3 Core White (per metre) **Order Ref. 053W – 35**
3 Core Gold (per metre) **Order Ref. 053G – 42p**
Gold Flex Surcharge (per Kit) **Order Ref. G –18p**

OTHER ITEMS

(38) 1/2" Brass Hexagonal Nut **Order Ref. HN.5 – 7p**
(39) 1/2" x 1" Brass Washer **Order Ref. BW.5 – 9p**
(40) 1/2" x 1" Plastic Washer **Order Ref. PW.5 – 4p**
(41) 10mm Brass Hex Nut **Order Ref. HN10 – 6p**
(42) 10mm x 21mm Fibre Washer **Order Ref. FW10 – 4p**
(43) 10mm x 21mm Brass Washer **Order Ref. BW10 – 7p**
(44) 10mm Tube Grommet **Order Ref. TG10 – 2p**
(45) 1/2" Tube Grommet **Order Ref. TG.5 – 7p**

TERMS & CONDITIONS

DESPATCH – Normally within 2 working days of receipt of payment, Allow a further 3 working days for delivery (u.k. Mainland only, excluding N. Scotland)

PAYMENT – in order to minimise administration costs we do not offer credit facilities, payment by cheque/draft in sterling should accompany your order. Official orders from local authorities and other similar bodies are accepted.

ILLUSTRATIONS – For guidance only. Styles, designs & dimensions may vary.

ELECTRICAL SAFETY – products supplied are sold as components only & comply with current safety regulations but it is the purchaser's responsibility to ensure that the wiring is safe and that their use of our products complies with current regulations. All sales are made on the specific understanding that the purchaser is familiar with the safe use and application of all items purchased and is engaged in trade, we do not accept orders from retail customers.

GENERAL – all statements contained within our literature are believed to be accurate but we accept no responsibility for omission or error, however caused. In any dispute our liability is limited to the invoice value of the disputed goods.

Orders are accepted on the specific understanding that they constitute full acceptance of all our terms and conditions.

